



MSDS-ARMORFAUX™ BASE COAT



ROMAN ARCHITECTURAL FINISHES ARMORFAUX™ Base Coat

MATERIAL SAFETY DATA SHEET

Section 1

Manufacturer's Name:
Roman Architectural Finishes
824 State Street
Calumet City, Illinois 60409

Emergency Assistance:
1-800-488-6117
HMIS Hazard Rating:

Date: January 8, 2007

FIRE=0
HEALTH=1
REACTIVITY=1
PERSONAL PROTECTION=B

Least=0
Slight=1
Moderate=2
High=3
Extreme=4

Trade name and Synonyms:

ARMORFAUX™ Base Coat

Chemical Name and Synonyms: Acrylic resin emulsion
Chemical Family: Pigmented resin emulsion

Section 2-Hazardous Ingredients/Identity Information

CAS No.	Chemical Name(s)	OSHA PEL	ACGIH TLV	max %
1317-65-3	Ground Limestone	5mg/m3	10mg/m3	
12174-11-7	Aluminum-Magnesium Silicate		10mg/m3	
12001-26-2	Silicate Mineral	20mppcf	3mg/m3	
13463-67-7	Titanium Dioxide	5mg/m3	10mg/m3	
57-55-6	Propylene Glycol	50ppm	50ppm	

Section 3-Physical/Chemical Characteristics

Appearance and Odor: White viscous liquid, mild acrylic odor
Specific Gravity(water=1): 1.41
Percent Solids by Weight: 60-62
by Volume: 44-46
Solubility in Water: Miscible in all proportions
Boiling Point: 212°F
Vapor Density: Same as water
Vapor Pressure: Same as water
Evaporation Point: Same as water
Melting Point: n.a.
Volatile Organic Compounds (VOC, less water): max. 100 g/l; 0.84 lb/gl

Section 4-Fire and Explosion Hazard Data

Flash Point (methods used) n.a.
Extinguishing Methods: No unusual procedures required.
Special Fire Fighting Procedures: Self contained breathing apparatus should be worn in fighting all fires involving general chemicals.
Unusual Fire and Explosion Hazards: None

Section 5-Health Hazard Data

Carcinogenicity: NTP: no IARC: no OSHA regulated: no
Overexposure—Under current OSHA criteria this product is considered non-hazardous.

Emergency First Aid Procedures

Eyes- Mild irritant. If contact occurs, flush eyes with water for 15 minutes and seek medical attention.

Skin- If contact occurs wash from skin at first opportunity. Protective gloves may be indicated for those with sensitivity to mild irritants.

Inhalation- If breathing difficulty is encountered, remove to fresh air.

Ingestion- If ingestion occurs, if conscious, give water to drink and seek medical attention. Do not give anything by mouth to an unconscious person.



MSDS-ARMORFAUX™ BASE COAT



Section 6-Reactivity Data

This product is stable and compatible with all compounds that are compatible with water and water solutions. Hazardous polymerization does not occur.

Section 7-Precautions for Safe Handling and Use

Steps to be taken in case the product is released or spilled:
Spills of 1-2 gallons or less may be diluted 50:1 with water and washed down the drain.
Large spills should be recovered as much as possible and disposed of as a non-hazardous liquid waste. Incinerate or landfill in accordance with Federal, State and Local regulations.
Adhesive residues may pose a slip hazard; personnel should be careful during clean-up.

Section 8-Control Measures

Respiratory Protection: Use chemical/mechanical filters designed to remove a combination of particles and vapors.
Ventilation: Use in well-ventilated areas.
Protection Gloves: Yes. Use neoprene
Eye Protection: Yes. Use protective goggles or face shield.
Other protective equipment: Use protective cream where skin contact is likely.

Section 9- Special Precautions

Store at moderate temperatures (50°-100° F). Protect from freezing. Keep out of the reach of children.
Keep container closed when not in use.

SUPPLEMENTAL INFORMATION

Waste Disposal
This product can be handled as a non-hazardous industrial waste.

REGULATORY INFORMATION

Workplace Classifications

This product is considered non-hazardous under the OSHA Hazard Communication Standard (29CFR 1910.1200).

This product is not a "controlled product" under the Canadian Workplace Hazardous Materials Information System (WHMIS).

Transportation Classifications

US DOT Shipping Class — 60
US DOT Description — Adhesive Paste NOI

Emergency Planning and Community Right to Know (SARA Title 3)

Section 311/312 Categorizations (40CFR 370)

This product is not a hazardous chemical under 29CFR 1910.1200, and therefore is not covered by Title III of SARA.

Section 313 Information (40CFR 372)

This product does not contain a chemical which is listed in Section 313 above de minimis concentrations.

CERCLA Information (40CFR 302.4)

Releases of this material to air, land or water are not reportable to the National Response Center under the Comprehensive Environmental Response, Compensation and Liability Act or to state and local emergency planning committees under the Superfund Amendments and Reauthorization Act, Title III Section 304.

RCRA Information

When this product becomes a waste, it is classified as a non-hazardous waste under criteria of the Resource Conservation and Recovery Act (40CFR 261).

Chemical Control Law Status

All components of this product are listed on the US-EPA Toxic Substance Control Act (TSCA) Chemical Substance Inventory.

All components of this product are listed on the Canadian Environmental Protection Act Domestic Substances List (CEPA-DSL).



MSDS-ARMORFAUX™ GLAZE



ROMAN ARCHITECTURAL FINISHES ARMORFAUX™ Glaze

MATERIAL SAFETY DATA SHEET

Section 1

Manufacturer's Name:
Roman Architectural Finishes
824 State Street
Calumet City, Illinois 60409

Emergency Assistance:
1-800-488-6117
HMIS Hazard Rating:

FIRE=0
HEALTH=1
REACTIVITY=1
PERSONAL PROTECTION=B

Least=0
Slight=1
Moderate=2
High=3
Extreme=4

Date: January 8, 2007

Trade name and Synonyms:

ARMORFAUX™ Glaze

Chemical Name and Synonyms: Acrylic resin emulsion
Chemical Family: Pigmented resin emulsion

Section 2-Hazardous Ingredients/Identity Information

CAS No.	Chemical Name(s)	OSHA PEL	ACGIH TLV	max %
1317-65-3	Ground Limestone	5mg/m3	10mg/m3	
12174-11-7	Aluminum-Magnesium Silicate		10mg/m3	
12001-26-2	Silicate Mineral	20mppcf	3mg/m3	
57-55-6	Propylene Glycol	50ppm	50ppm	

Section 3-Physical/Chemical Characteristics

Appearance and Odor: White viscous liquid, mild acrylic odor
 Specific Gravity(water=1): 1.10
 Percent Solids by Weight: 28-30
 by Volume: 22-24
 Solubility in Water: Miscible in all proportions
 Boiling Point: 212°F
 Vapor Density: Same as water
 Vapor Pressure: Same as water
 Evaporation Point: Same as water
 Melting Point: n.a.
 Volatile Organic Compounds (VOC, less water): max. 700 g/l; 5.83 lb/gl

Section 4-Fire and Explosion Hazard Data

Flash Point (methods used) n.a.
 Extinguishing Methods: No unusual procedures required.
 Special Fire Fighting Procedures: Self contained breathing apparatus should be worn in fighting all fires involving general chemicals.
 Unusual Fire and Explosion Hazards: None

Section 5-Health Hazard Data

Carcinogenicity: NTP: no IARC: no OSHA regulated: no
 Overexposure—Under current OSHA criteria this product is considered non-hazardous.

Emergency First Aid Procedures

Eyes- Mild irritant. If contact occurs, flush eyes with water for 15 minutes and seek medical attention.

Skin- If contact occurs wash from skin at first opportunity. Protective gloves may be indicated for those with sensitivity to mild irritants.

Inhalation- If breathing difficulty is encountered, remove to fresh air.

Ingestion- If ingestion occurs, if conscious, give water to drink and seek medical attention. Do not give anything by mouth to an unconscious person.1



MSDS-ARMORFAUX™ GLAZE



Section 6-Reactivity Data

This product is stable and compatible with all compounds that are compatible with water and water solutions. Hazardous polymerization does not occur.

Section 7-Precautions for Safe Handling and Use

Steps to be taken in case the product is released or spilled:
Spills of 1-2 gallons or less may be diluted 50:1 with water and washed down the drain.
Large spills should be recovered as much as possible and disposed of as a non-hazardous liquid waste. Incinerate or landfill in accordance with Federal, State and Local regulations.
Adhesive residues may pose a slip hazard; personnel should be careful during clean-up.

Section 8-Control Measures

Respiratory Protection: Use chemical/mechanical filters designed to remove a combination of particles and vapors.
Ventilation: Use in well-ventilated areas.
Protection Gloves: Yes. Use neoprene
Eye Protection: Yes. Use protective goggles or face shield.
Other protective equipment: Use protective cream where skin contact is likely.

Section 9- Special Precautions

Store at moderate temperatures (50°-100° F). Protect from freezing. Keep out of the reach of children.
Keep container closed when not in use.

SUPPLEMENTAL INFORMATION

Waste Disposal
This product can be handled as a non-hazardous industrial waste.

REGULATORY INFORMATION

Workplace Classifications

This product is considered non-hazardous under the OSHA Hazard Communication Standard (29CFR 1910.1200).

This product is not a "controlled product" under the Canadian Workplace Hazardous Materials Information System (WHMIS).

Transportation Classifications

US DOT Shipping Class — 60
US DOT Description — Adhesive Paste NOI

Emergency Planning and Community Right to Know (SARA Title 3)

Section 311/312 Categorizations (40CFR 370)

This product is not a hazardous chemical under 29CFR 1910.1200, and therefore is not covered by Title III of SARA.

Section 313 Information (40CFR 372)

This product does not contain a chemical which is listed in Section 313 above de minimis concentrations.

CERCLA Information (40CFR 302.4)

Releases of this material to air, land or water are not reportable to the National Response Center under the Comprehensive Environmental Response, Compensation and Liability Act or to state and local emergency planning committees under the Superfund Amendments and Reauthorization Act, Title III Section 304.

RCRA Information

When this product becomes a waste, it is classified as a non-hazardous waste under criteria of the Resource Conservation and Recovery Act (40CFR 261).

Chemical Control Law Status

All components of this product are listed on the US-EPA Toxic Substance Control Act (TSCA) Chemical Substance Inventory.

All components of this product are listed on the Canadian Environmental Protection Act Domestic Substances List (CEPA-DSL).